



1 9 9 7 RANGER




RANGER: THE FOREMOST AUTHORITY ON FUN





RANGER 4x4: ONE VERY TOUGH CUSTOMER









A 6-way power driver's seat is available in SuperCab with the optional sport bucket seats. Above: Ranger XLT SuperCab with 60/40 split bench seat in Medium Prairie Tan. SuperCab has 22.2 cu. ft. behind the front seats (18.3 in models with rear jump seats).

Right: Ranger XLT
SuperCab interior with
optional sport cloth bucket
seats in Medium Prairie Tan.
Some equipment shown is optional.

Below: Pivoting quarter windows and sliding rear window are available on the XLT, STX and Splash SuperCabs.

Whether you're
tall or short, you
can adjust the
height of your
shoulder belt
to your own
comfort needs.







EQUIPPED TO PROTECT YOU

All Ranger models come standard with a rear anti-lock braking system (ABS).

4-wheel anti-lock brakes are optional with XLT, STX and Splash. Both systems help provide steering control while braking under most conditions, even on wet or slippery surfaces.



Every Ranger comes with a standard driver's air bag to supplement the safety belts. A passenger air bag is available that includes a deactivation switch. To help protect the child, the switch should be used whenever a rear-facing child safety seat is secured in the outboard front passenger seating position.



Ford's 4x4 switch-on electric shift transfer case with automatic locking hubs lets you shift "on the fly."

OWERED TO MOVE YOU



The 2.3L 4-cylinder (below) is the standard engine for Ranger 4x2s. The spirited 3.0L SEFI V6 engine (not shown) is the powerplant for all 4x4 models.

The optional 4.0L SEFI single overhead cam V6 (shown below) delivers the ultimate in Ranger performance.

The rugged, V6-powered Ranger XLT 4x4 is shown here in Bright Red Clearcoat.

POWERTRAIN AVAILABILITY BY TRIM MODEL

	Regular Cab 4x2				SuperCab 4x2			
	XL	XLT	STX	Splash	XL	XLT	STX	Splash
2.3L I4/5-Speed Man.	S	\$	-	S	S	S	-	-
2.3L I4/4-Speed Auto.	0	0	-	0	-	-	_	_
3.0L V6/5-Speed Man.	0	0	-	0	0	0	-	S
3.0L V6/4-Speed Auto.	0	0	-	0	0	0	-	0
4.0L V6/5-Speed Man.	-	0	-	0	-	0	-	0
4.0L V6/5-Speed Auto.	+	0	7	0	-	0	_	0
		Regula				Supe	rCab 4)	(4
	XL	XLT	STX	Splash	XL	XLT	STX	Splash
3.0L V6/5-Speed Man.	S	S	S	S	S	S	S	S
3.0L V6/4-Speed Auto.	0	0	0	0	0	0	0	0
4.0L V6/5-Speed Man.	-	0	0	0	-	0	0	0
4.0L V6/5-Speed Auto.	-	0	0	0	_	0	0	0

ENGINE SPECIFICATIONS

Engine*	Displacement (liters/cubic inches)	Bore x Stroke	Compression Ratio	Horsepower (SAE net)	Torque, lbs./ft. (SAE net)
2.3-liter SEFI I-4	2.3/140	3.78 x 3.13	9.4:1	112 @ 4,800 rpm	135 @ 2,400 rpm
3.0-liter SEFI V-6	3.0/182	3.50 x 3.14	9.3:1	147 @ 5,000 rpm	162 @ 3,250 rpm
4.0-liter SEFI V-6	4.0/245	3.95 x 3.32	9.0:1	160 @ 4,200 rpm	220 @ 3,000 rpm

^{*}All engines have Sequential Electronic Fuel Injection (SEFI).



Designed to efficiently handle the power of the 4.0L V6, a new 5-speed automatic transmission is available for 1997. An exclusive in light trucks, its five forward speeds improve performance.

DEALER ACCESSORIES FOR YOUR RANGER





You can add this quick-release tailgate lock to Ranger's long list of convenience features.



The tubular rear bumper not only adds sporty styling flair but also has heavy-duty construction.



Great factor options, too

The power windows option has a



"one-touch-down" feature for the convenience of the driver.



Speed control has a feature to let you increase or decrease your speed in increments of one mile per bour.



Fog lamps are make XLT and STX 4x4 mod well as on the XL



The optiona CD changer lets you sel up to six di

Preferred Equipment Packages

Ranger XL



Notable XL Standard Features

- · Dual toldaway mirrors right-hand convex
- Tinted glass

COCCIO COCCIONANTI CINCO

- Easily removable tailgate

- Driver side air bag
- Illuminated entry system
- A cigarette lighter and two 12-volt
- Interval windshield wipers
- Front dome light

Ranger XLT



864A (Reg. Cab)/853A (SuperCab)

- XLT Group (see pages 13-14) Electronic AM/FM stereo radio/cassette
- Power steering (standard on SuperCab)

867A* (Reg.Cab/856A*(SuperCab)

MEASUREMENTS (EXTERIOR/INTERIOR)

Cab Length

104.3

104.3"

121.0"

Front

Tread

4x2/4x4

56.6°/58.3

56.6"/58.3"

56.6"/58.3"

- cu. ft. (no allowance for wheelhouses)

XLT Group (see pages 13-14)

Wheelbase

107.9" Regular Cab

113.9" Regular Cab

125" SuperCab

Floor (Empty)

4x2/4x4

26.8"/29.4"

25.8 1/28.3

Pickup box depth

Cargo volume -

Load Height at Cargo

Cargo Compartment*

Short wheelbase

Long wheelbase

* Does not include Splash

- power points

Electronic AM/FM stereo radio/

- cassette/premium sound Power steering (standard on SuperCab)

- Power window/lock group Speed control and leather-wrapped tilt

Box Width

(maximum)

54.4

54.4"

54.4"

Axle

Clearance

4x2/4x4

6.2"/7.5"

6.2"/7.5"

SuperCab

16.4

37.4

- Passenger-side arr bag
- Remote keyless entry with anti-theft
- Tachometer (4x2)

Box Length (at Cargo Floor)

71.8

83.8"

71.8"

Rear

Tread

4x2/4x4

57.3"

57.3

Regular Cab

16.4

37.4

*Package items may not be deleted.

Ranger STX 4x4



- 865A (Reg. Cab)/854A (SuperCab) Sport cloth bucket seats with floor console Rear jump seat (SuperCab) Electronic AM/FM stereo radio/cassette

- Speed control and leather-wrapped tift

4x4 LWB

- Fog lamps P235/75R15\$L OWL all-terrain tires
- Luxury aluminum wheels
- · Sliding rear window

- 868A* (Reg. Cab)/857A* (SuperCab)
 Sport cloth bucket seats with floor console
- Rear jump seat (SuperCab)
- Flectronic AMFM stereo radio/cassette/ premium sound
- Air conditioning
- Power m rrors
- Power window/lock group
- Speed control and leather-wrapped tilt
- Fog lamps
- Passenger-side air bag
 Remote keyless entry with anti-theft
 P235/75R15SL OWL all-terrain tires
- · Luxury aluminum wheels
- Sliding rear window

"Package items may not be deleted.

Ranger Splash



866A (Reg. Cab)/855A (SuperCab)

Splash Group: sliding rear window with

bodyside protection maldings; rear jump seat (SuperCab)

P215/75Rx15SL

Electronic AM/FM stereo radio/cassette

tinted glass (privacy glass with SuperCab);

PAYLOAD PACKAGE SELECTOR

#2 Opt.

Regular Cab Package No. Payload GVWR Tires (Min.) 4x2 SWB #1 Std. 1,250 lbs. 4,220 lbs. P195/70Rx14SL 4x2 SWB #2 Opt. 1,650 lbs. 4,680 lbs. P215/70Rx14SL 4x2 LWB #1 Std. 1,250 lbs. 4,260 lps. P195/70Rx14SL #2 Opt. 1,650 lbs. 4x2 LWB 4,700 lbs. P215/70Rx14SL 4x4 SWB #1 Std 1,250 lbs. 4,660 los. P215/75Rx15SL 4x4 SWB #2 Opt. 1,550 lbs. 4,960 lbs. P215/75Rx15SL 4x4 LWB #1 Std. 1,250 lbs. 4,680 lbs. P215/75Rx15SL

SuperCab 4x2 #1 Std. 1,250 lbs. 4,500 lbs. P195/70Rx14SL 4x2 #2 Opt. 1,550 lbs. 4,880 lbs. P215/70Rx14SL 4x4 P215/75Rx15SL #1 Std. 1,250 lbs. 4,920 lbs. #2 Opt. 1,450 lbs. 5,100 lbs. P215/75Rx15SL

1,550 lbs.

4,980 lbs.

Ranger Styleside model information provided. See your Ford Dealer for Splash model information.
5WB = short wheelbase (107.9° Regular Cab., LWB = long wheelbase (113.9° Regular Cao). Pay oad is the maximum allowable weight of people, cargo, and body equipment and is reduced by the weight of optional equipment.

RANGER REGULAR CAR SPECIFICATIONS

	4x2	4x4
GVW Rating (max.)	4,700 lbs.	4,980 lbs.
Shock absorbers	Gas-pressurized; opt. HD	Std. HD gas-pressurized
Front stabilizer bar	Std.	Std.
Rear stabilizer bar	Opt.*	Std.
Power brakes with rear anti-lock	Std.	Std.
Power brakes with 4-wheel anti-l	ock Opt	Opt.
4x4 front hubs	<u> </u>	Std. automatic locking
		Opt. manual locking**
4x4 transfer case		Std. switch-on electric shift
		Opt. 2-speed manual shift
Fuel capacity	Std. 17 gals.	Std. 17 gals.
	Opt. 20 gals.*	Opt. 20 gals. [†]

Std. on STX, Splash; opt. on XL, XLT *Available for XL and XLT with Handling Package. Included with Splash. **With manual transmission only. "With 113.9" wheelbase and 3.0- or 4.0-liter Vo engine; standard with STX 4x4.

STYLESIDE MAXIMUM TRAVER WEIGHTS

	Axle	GCWR	Regula	r Cab	Supe	rCab
Automatic	Ratio	Max.	4x2	4x4	4x2	4x4
2.3L SEFI 14	3.73	5,500	2,300	-4		44
3.0L SEFI V6	3.45	7,000	3,700			
	3.73	7,500	4,000	3,900	4,000	3,600
	4.10	8,000	-	4,400	_	4,100
4.0L SEFI V6	3.08	6,000	2,700	_	2,400	_
	3.27	7,500	-	3,800	-	3,600
	3.55	9,500	6,000		5,900	-
	3,73	9,500	_	5,800		5,600

RANGER SUPERCAB SPECIFICATIONS

	4x2	4x4
GVW Rating (max.)	4,880 lbs.	5,160 lbs.
Shock absorbers (Gas-pressurized; opt. HD	Sto. HD gas-pressurized
Front stabilizer bar	Std.	Std.
Rear stabilizer bar	Opt.*	Std.
Power brakes with rear anti-lock	Std.	Std.
Power brakes with 4-wheel anti-lo	ck Opt.	Opt.
4x4 front hubs	-	Std. automatic locking Opt. manual locking**
4x4 transfer case	-	Std. switch-on electric shift Opt, 2-speed manual shift
Fuel capacity	20.5 gals.	20.5 gals.
Power steering	Std.	Std.

*Available for XL and XLT with Handling Package. Included with Splash, **With manual trans, only,

STYLESIDE MAXIMUM TRAILER WEIGHTS

Manual	Axle Ratio	GCWR Max.	Regula 4x2	r Cab 4x4	Supe 4x2	rCab 4x4
2.3L SEFt 14	3.73	4,800	1,600	-	1,300	- Alle
	4.10	4,800	**	1,300		
3.0L SEFI V6	3.45	5,000	1,800		1,500	
	3.73	6,000	2,800	2,400	2,500	2,100
4.0L SEFI V6	3.08	5,000	1,700	_	1,500	-
	3.27	6,000	_	2,000	_	2,000
	3.55	7,000	3,700		3,400	**
	3.73	7,000	-	3,400		3,000

See your dealer for trailer towing weights for Splash model and for Styleside models with the Splash

REGULAR CAB 4x2/4x4 PREFERRED EQUIPMENT PACKAGES, Note: Package content is subject to change.					- CONTRACTOR AND	Name of Contract o
P = Included in package S = Standard O = Optional GROUP FEATURES	XL 861A	864A	ET 867A*	STX 865A	4x4 868A*	Splast 866A
NLT Group: tape stripe; P225/70R14SL OWL all-season tires (4x2);						
P235/75R15SL OWL all-terrain tires (4x4); deep-dish cast aluminum wheels;						
sliding rear window with tinted glass		Р	P	11-	ju ry	
Group: air conditioning; speed control and leather-wrapped tilt wheel;						
tachometer (standard with 4x4); remote keyless entry with anti-theft; power window/lock group; power mirrors; electronic AM/FM stereo radio with cassette						
player, premium sound system, digital clock			p		P	
STX Group: speed control and leather-wrapped tilt steering wheel; luxury aluminum		- Manual Trans		***	F	
wheels; P235/75R15SL OWL all-terrain tires; fog lamps; sliding rear window	-	_	2	Р	P	_
Splash Group: sliding rear window with tinted glass; bodyside protection molding	44	-	4-		-	P
SEATING						***************************************
3-passenger vinyl bench seat	S	Alfrication de la company	inalije okali samatus i samatu		AND	na dan na nankanpanya na na habina ka na na
60/40 cloth "captain" split bench seat with floor consolette	0	S	S	S	S	S
Sport cloth bucket seats with floor console	-		0	Р	Р	0
STEREO SYSTEMS		CONTRACTOR SALES	STATE OF THE PARTY	MANAGER PROPERTY.		AND THE OWNER OF THE OWNER.
Radio credit option – deletes standard AMFM radio (1)	5	—	-	A STATE OF THE PARTY OF THE PAR	-	entralista de la composição de la compos
Electronic AMFM stereo radio with digital clock (standard with 4x4)	0	S	S	S	S	S
Electronic AM/FM stereo radio with cassette player and digital clock	0	Р	-	P	-	Р
Electronic AM/FM stereo radio with cassette, premium sound system and digital clock	-	0	Р	0	Р	0
Single-CD player with digital clock	_	0	-	0	-	0
Multi-disc CD changer	_	-	0	-	0	0
COMFORT/CONVENIENCE						
Air conditioning (includes super engine cooling)	0	0	Р	0	Р	0
Power mirrors	_	0	Р	0	Р	S
Power window/lock group	_	0	Р	0	Р	0
Speed control and tilt steering wheel (leather-wrapped in STX)	_	0	Р	P	Р	0
Sliding rear window with tinted glass		Р	Р	Р	Р	Р
3-point height-adjustable lap/shoulder safety belts for outboard seating positions	S	S	S	5	5	S
APPEARANCE/PROTECTION	August - Land - Company		on a commendate design	oleani eriolizada de	han a harasa	
Fog lamps (with V6 engine only) Bodyside protection moldings		0	0	P	P	_
Deluxe two-tone paint		0	0	0	0	Р
Tape stripe not included (deletes STX tape stripe)		0	0	0	0	_
Flareside box (108-in, wheelbase). Not available with 4.0-liter engine	0	0	- O			
PERFORMANCE/SAFETY (see page 9 for powertrains)	0	<u> </u>		_		
Passenger air bag to supplement the safety belts (with deactivation switch)	0	0	P	0	P	O
4-wheel anti-lock brakes		0	0	0	0	0
Remote keyless entry with anti-theft	_	0	P	0	P	0
Power steering — standard on 4x4	0	P	P	S	S	Ś
Tachometer — standard on 4x4	_	0	P	S	5	Ö
Performance axle — for V6 engine	0	0	0	0	0	Ö
Handling package — standard on 4x4 (2)	0	0	0	S	S	-
Payload package #2 (standard on 4x4 XLT, STX)	0	0	0	S	S	0
TIRES AND WHEELS				AND THE PERSON NAMED IN COLUMN TWO		VIII. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.
P195/70R14SL BSW all-season — 4x2	S	S	S	ANNERS AND		<u> </u>
P215/70R14SL BSW all-season — 4x2 ⁽³⁾	0	-	-	_		_
P225/70R14SL OWL all-season — 4x2	0	Р	Р		-	-
P235/60R15SL BSW all-season — 4x2 ⁽⁴⁾	_	0	0	-	_	S
P235/75R15SL OWL all-terrain — 4x4	0	Р	Р	Р	Р	S
P215/75R15SL OWL all-terrain — 4x4	S	S	S	S	S	-
265/75R15SL OWL all-terrain — 4x4	_	0	0	0	0	_
Argent styled steel wheels with bright hub caps — 4x2/4x4	S	_			-	
Full face steel wheels — 4x2/4x4	0	S	S	S	S	_
Deep-dish cast aluminum wheels (standard with Splash 4x4) — 4x2/4x4 Full face chrome wheels — 4x2	0	P	P	-	-	S
CONTRACTOR OF THE PROPERTY OF	_	O	0	_	_	S

^{*} Features designated as "P" may not be deleted from the Preferred Equipment Package. (1) Available with 2.3L engine only; standard on 4x2 only. (2) Rear stabilizer bar (front is standard) and heavy-duty shock absorbers. (3) Includes features in the handling package. (4) Unique shock absorbers, springs and stabilizer bars.

Inter Produces content to subject to the con-							MAJOR FORD STANDARD FE
lote: Package content is subject to change. = Included in package S = Standard O = Optional	XL	v	LT	CTV	And.	Calack	
				STX		Splash	Exterior
LT Group: tape stripe; P225/70R14SL OWL all-season tires (4x2);	850A	853A	856A*	854A	857A*	855A	 Aero halogen hea
P235/75R15SL OWL all-terrain tires (4x4); sliding rear window/							- Criffer - i-t-1-1
privacy glass; rear jump seat; deep-dish cast aluminum wheels	-40	P	p				Grille: painted will (XL, STX), painted
uxury Group: air conditioning; speed control/leather-wrapped tilt		*	· ·	(44)		Community of the Commun	ing (XLT), color-ke
wheel; tachometer (standard with 4x4); remote keyless entry							keyed molding (S
with anti-theft; power window/lock group; power mirrors;							- Frank house and
electronic AM/FM stereo radio with cassette player, premium							 Front bumper: pa bright (XLT), color
sound system, digital clock			р		P		Dright (ALL), Colo
IX Group: speed control and leather-wrapped tilt steering wheel;			***************************************				Rear step bumpe
luxury aluminum wheels; P235/75R15SL OWL all-terrain tires;							bright (XLT), colo
rear jump seat; fog lamps; sliding rear window			_	P	P	200	Mirrors: black fol
plash Group: sliding rear window with privacy glass;			, , , , , , , , , , , , , , , , , , , 		***************************************		color-keyed pow
ear jump seat; bodyside protection moldings	-					P	1
SEATING	TO THE OWNER OF THE OWNER OF THE OWNER	NAME OF THE OWNER, WHEN				I.	Tinted glass
0/40 cloth "captain" split bench seat with floor consolette	c	C	c	C	C	C	
port cloth bucket seats with floor console	<u>S</u>	S	S	S P	S	S	 Easily removable
-way power driver's sport bucket seat			re - 50		Р	0	- Co h l'-l - /
ear jump seat	-	- D	0	- D	0	0	Cargo box light
TEREO SYSTEMS	0	P	Р	Р	Р	P	Cargo area cove
		J. 40 T. MARS.		yets Williams			Splash SuperCab
adio credit option — deletes standard AM radio (i)	S		_	_	-	-	
ectronic AMFM stereo radio with digital clock (standard with 4x4)	0	S	S	S	S	S	Wheel opening to
ectronic AM/FM stereo radio with cassette player and digital clock	0	P	-	Р	-	Р	except Splash)
ectronic AM/FM stereo radio with cassette player, premium sound							Mud flans four
stem and digital clock		0	Р	0	P	0	Mud flaps (exception)
ngle-CD player with digital clock	-	0	-	0	-	0	High-mount cen
lulti-disc CD changer	_		0	-	0	0	
COMFORT/CONVENIENCE						C. Holy or an and C. S. A. A.	
ir conditioning (includes super engine cooling)	0	0	Р	0	Р	0	Interior
ower mirrors	2000	0	P	0	Р	S	7 - Dairen air la an
ower window/lock group	-	0	P	0	Р	0	Driver air bag the safety belts
peed control and tilt steering wheel (leather-wrapped in STX)	-	0	P	Р	P	0	The surety deri
iding rear window with privacy glass	-	Р	Р	Р	Р	Р	Lap and heigh
voting quarter windows with privacy glass	-	0	0	0	0	0	shoulder belts
APPEARANCE/PROTECTION				Time			seating positio
og lamps (with V6 engine only)	-	0	0	P	Р		a Crist town out
odyside protection moldings	-	0	0	0	0	Р	 Fuel, temperat and voltmeter
eluxe two-tone paint	_	0	0	-	_	-	odometer
ape stripe not included (deletes STX tape stripe)	-	_		0	0	_	1
areside box (not available with 4.0-liter engine)	0	0	0	-	-	-	Illuminated en
ERFORMANCE/SAFETY (see page 9 for powertrains)	A 12				e we want to		
assenger air bag to supplement safety belts (with deactivation switch)	0	0	Р	O	P	O	A cigarette light
wheel anti-lock brakes	_	0	0	0	0	0	12-volt power
emote keyless entry with anti-theft	_	0	P	0	Р	0	Interval winds
schometer — standard on 4x4	_	0	P	S	S	0	- HILCIVAL WHICK
erformance axle — for V6 engine	0	0	0	0	0	0	Tachometer (st
andling package — standard on 4x4 (2)	0	0	0	S	S	7.17	
yload package #2	0	0	0	0	0	0	Courtesy lights
IRES AND WHEELS	9	U	· · · · · · · · · · · · · · · · · · ·	U		0	headlights-on
195/70R14SL BSW all-season — 4x2	c	C	· ·				
215/70R14SL BSW all-season — 4x2 (3)	S	S	S	***			Floor covering Floor covering
	0	-	_	~	_	=	insulation (XL) carpet (XLT, ST
225/70R14SL OWL all-season — 4x2 235/60R15SL BSW all-season — 4x2 (4)	0	Р	Р			-	Carper (ALI, 51
	-	0	0	-	-	S	Headliner: col
215/75R15SL OWL all-terrain — 4x4	S	S	S	S	S		Regular Cab),
235/75R15SL OWL all-terrain — 4x4	0	P	P	Р	Р	S	sound insulation
265/75R15SL OWL all-terrain — 4x4	_	0	0	0	0	-	grab handle (X
rgent styled steel wheels with bright hub caps — 4x2/4x4	5				-		STX, Splash)
ıll face steel wheels — 4x2/4x4	0	S	S	S	S		
eep-dish cast aluminum wheels (std on Splash 4x4) — 4x2/4x4	0	P	Р	_	_	S	
ull face chrome wheels — 4x2 uxury aluminum wheels — 4x4	-	0	0		-	S	
				Р	P		

NGER JRES

- nps
- painted molding th bright mold-d with color-
- ed (XL, STX), yed (Splash)
- inted (XL, STX), /ed (Splash)
- ay RH convex; plash)
 - ate
- STX, Splash)
- , STX and
- (4x4 models
- ash 4x2)
- op lamp
- pplement
- ustable outboard
- oil pressure ges; trip
- ystem
- and two essories outlets
- wipers
- rd with 4x4)
- ip light plus ning chime
- ck vinyl with or-keyed olash)
- eyed (XI. r-keyed with nd passenger perCab, XI.T,

Ranger Colors



EXTERIOR PAINT AND TRIM COLORS

VE	3/17		ra/
XL.	XLI	. 3	ΙX

AL, ALI, SIA						
	Interior Trim Colors					
Exterior Paint Colors	Royal Blue*		Medium Graphite	Medium Prairie Tan		
Cayman Green Clearcoat Metallic						
Light Prairie Tan Clearcoat Metallic						
Bright Red Clearcoat						
Toreador Red Clearcoat Metallic		***************************************				
Sapphire Blue Clearcoat Metallic						
Portofino Blue Clearcoat Metallic						
Dark Blue Clearcoat Metallic						
Medium Willow Green Clearcoat Metallic			101 - 11 - 11 - 11			
Charcoal Grey Clearcoat Metallic						
Black Clearcoat		B †				
Silver Clearcoat Metallic		■ †				
Oxford White Clearcoat		-				
"SIX and XLT only. † STX only. Note: See your dealer for del	uxe two-to	ne color combi	nations available	e for Ranger XLT.		

wow your dealer about availability of colors for Ranger XL and XLT models with the flareside box option.

Splash

	Interior	Trim Colors
Exterior Paint Colors	Medium Graphite	Medium Prairie Tan
Canary Yellow Clearcoat		
Toreador Red Clearcoat Metallic		
Sapphire Blue Clearcoat Metallic		-
Black Clearcoat		•



heel with right hub

Argent wheel with steel wheel steel wheel bright hub

Full face (4x2)


Full face (4x4)

Cast aluminum deep-dish wheel

Full face chrome wheel

Luxury aluminum wheel

Ownership Experience



ROADSIDE ASSISTANCE PROGRAM

Every new Ford includes the assurance of a 24-hour emergency Roadside Assistance Program provided during the 3-year/36,000-mile bumper-to-bumper warranty. Ask your dealer for complete details on this program which includes such services as fuel delivery, tire change, jump start, or even help when you're locked out of your truck.





Ford Credit offers a wide variety of financing and leasing programs to qualified buyers which can be arranged right at the

dealership. Ask your Ford Dealer for all the facts.



Optional Ford Extended Service Plans go beyond the basic 3-year/36,000-mile warranty.

Ask your dealer for complete details on the optional plans and for a copy of the limited warranty.



Using your Ford Citibank VISA® or MasterCard® could earn you hundreds, even thousands of dollars from Ford toward the purchase or lease of a new

Ford, Lincoln or Mercury product. To apply or get more information, call 1-800-374-7777. Or visit a Ford or Lincoln-Mercury Dealer, or a branch of Citibank.

DEALER-INSTALLED ACCESSORIES

Your Ford Dealer offers a variety of quality Ford-brand accessories that meet or exceed our strict specifications.

PRODUCT CHANGES AND OPTIONS AVAILABILITY

Following publication of the catalog, certain changes in standard equipment, options, prices and the like, or product delays, may have occurred which would not be included in these pages. Your Ford Dealer is your best source for up-to-date information.

Ford Division reserves the right to change product specifications at any time without incurring obligations.

Options shown or described are available at extra cost and may be offered only in combination with other options or subject to additional ordering requirements or limitations.

For more information, visit our Web site at http://www.ford.com



BUILDING A COMPLETE LINE-UP OF QUALITY CARS AND TRUCKS

